Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4	("4074193" "5323117").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:43
L3	26421	(bus adj bar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:44
L4	33427	(bus adj bar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:44
L5	10460	bus\$bar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:44
L6	38583	4 or 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:44
L7	7517	(connector ((plug sleeve) with connect\$3))same (bus\$bar (bus adj bar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:40
L8	890	7 and (switch\$board (switch adj board) TE (partial adj discharge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:47
L9	181	8 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 11:47

L10	11	9 and (connector ((plug sleeve) with connect\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:02
L11	39	7 and ((inner and outer)Adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:41
L12	199	(connector ((plug sleeve) with connect\$3))same ((bus\$bar (bus adj bar))adj connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:32
L13	1	12 and ((inner and outer)Adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:39
L14	2711	connect\$3 near3((switch\$board)(Switch adj board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:39
L15	410	14 with (connector ((plug sleeve) with connect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 13:40
L16	396	14 with (connector plug)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 13:49
L17	25156	16and ((inner and outer)Adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:41

L18	0	16 and ((inner and outer)Adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:41
L19	0	16 and ((inner and outer)adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/13 13:41
L20	0	16 and ((inner outer)adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 13:41
L21	4321	(connector plug (connecting adj device))same ((inner and outer)adj (electrode conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:49
L22	2204	(connector plug (connecting adj device))near20 ((inner and outer)adj (electrode conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 13:51
L23	121	22 and ((outer adj (electrode conductor))with grounded)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:23
L24	0	23 and ((coupling adj electrode)with insulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:54
L25	1	23 and ((coupling adj electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 13:54

L26	4421	((third additional)adj (conductor electrode))with insulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 14:24
L27	0	23 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2006/04/13 14:24
L28	9	(US-6333715-\$ or US-6111818-\$ or US-5135824-\$ or US-6053755-\$ or US-5362251-\$ or US-4819131-\$ or US-4241973-\$).did. or (US-3449638-\$).did. or (WO-2004034535-\$).did.	USPAT; USOCR; EPO	OR	OFF	2006/04/13 15:56
L29	9	28 and (inner outer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 15:57
L30	7	28 and ((inner outer)adj (electrode conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:02
L31		28 and ((inner outer)adj (electrode conductor))and ground\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:35
L32	9	("111748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:11
L33	62	(bus\$bar with switch\$board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:11

				· · · · · · · · · · · · · · · · · · ·		
L34	0	33 and ((inner outer)adj (electrode conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:12
Ĺ35	0	33 and ((inner outer)adj (connector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 16:12
L36		33 and connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:17
L37	1	(bus adj bar adj connection)with (switch adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:19
L38	0	(bus adj bar adj connection)with ((inner outer)adj (conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:19
L39	0	31 and (elastic elastomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:20
L40	7	23 and (elastic elastomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 16:20
L41	0	((inner outer)adj (electrode conductor))and ((outer adj connector)near4 ground\$2) and (((third another additional) adj electrode)near4 insulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:37

L42	. 0	((inner outer)adj (electrode conductor))and ((outer adj connector)near4 ground\$2) and (((third another additional) adj electrode)with insulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:38
L43	0	((inner outer)adj (electrode conductor))and ((outer adj connector)near4 ground\$2) and (((third another additional) adj conductor)with insulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:39
L44	17	((inner outer)adj (electrode conductor))and ((outer adj connector)near4 ground\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:38
L45	0	23 and (((third another additional) adj conductor)with insulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 16:39
L46		23 and (((third another additional) adj conductor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2006/04/13 17:39
L47	1	(connect\$3 near4 (inner adj conductor))with bus\$bar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/04/13 17:40
L48	2	(connect\$3 with (inner adj conductor))with bus\$bar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 17:44
L49	16	(connect\$3 with (inner adj conductor))with (bus adj bar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 17:51

L50	0	(connect\$3 with (inner adj	US-PGPUB;	OR	ON	2006/04/13 17:51
		conductor))same (advantage with (bus adj bar))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			·
L51	466	(advantage near3 (bus adj bar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/13 17:51
L52	48	(advantage near3 (bus adj bar))same connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 18:07
L53	3881	(439/284-295,578-585).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 18:11
L54	·7985	(324/538,539-544,158.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 18:12
L55	8	53 and 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 18:14
L56	11858	53 or 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 18:14
L57	1413	56 and ((inner outer)adj (connector conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 18:14

L58	. 809	56 and ((inner and outer)adj (connector conductor electrode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 18:14
L59	3	58 and (bus\$bar (bus adj bar))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/13 18:15